

## LAIPEN

### LIST OF REFERENCES

CANTINI, C., NEPI, P. E., AVOLA, G. AND RIGGI, E. (2023). Direct and indirect ground estimation of leaf area index to support interpretation of NDVI data from satellite images in hedgerow olive orchards. *Smart Agricultural Technology*. 5: 100267

**DOI: 10.1016/J.ATECH.2023.100267**

CHEN, X., YANG, Y., ZHANG, ET AL. (2023). Response Mechanism of Leaf Area Index and Main Nutrient Content in Mangrove Supported by Hyperspectral Data. *Forests*. 14, 754.

**DOI: 10.3390/F14040754**

NOVOSADOVÁ, K., KADLEC, J., REHORKOVÁ, Š., ET AL. (2023). Comparison of Rainfall Partitioning and Estimation of the Utilisation of Available Water in a Monoculture Beech Forest and a Mixed Beech-Oak-Linden Forest. *Water*. 15, 285.

**DOI: 10.3390/W15020285**

SUNDAR, S. L., CHANG, Y.-T., AND CHAO, Y.-Y., (2023). Unveiling the novel effect of *Rhodopseudomonas palustris*-derived extracellular 5-aminolevulinic acid on the growth and yield of *Chenopodium formosanum* Koidz under field conditions. *Plant and Soil*, preprint.

ANDALIBI, L., GHORBANI, A., DARVISHZADEH, R., ET AL. (2022). Multisensor Assessment of Leaf Area Index across Ecoregions of Ardabil Province, Northwestern Iran. *Remote Sens*. 14, 5731.

**DOI: 10.3390/rs14225731**

CANTINI, C., NEPI, P. E., AVOLA, G. AND RIGGI E. (2022). Vegetative mapping of hedgerow olive orchards by NDVI data from satellite images supported by both direct and indirect ground estimation of leaf area index. *Remote Sens*. 2022, 13, x. For peer review.

**DOI: 10.3390/xxxxx**

LANGE, H., TSAI, Y.-Y., AND CERNY, J. (2022). Leaf Area Index at a forested ICOS site: a detailed method comparison. *EGU General Assembly 2022, Vienna, Austria, 23–27 May 2022, EGU22-3124*.

**DOI: 10.5194/egusphere-egu22-3124, 2022**

ANDALIBI, L., GHORBANI, A., MOAMERI, M., ET AL. (2021). Leaf Area Index Variations in Ecoregions of Ardabil Province, Iran. *Remote Sens*. 2021, 13, 2879. *Sens*. 13, 2879.

**DOI: 10.3390/rs13152879**

ČERNÝ, J. AND POKORNÝ, R. (2021). Field Measurement of Effective Leaf Area Index using Optical Device in Vegetation Canopy. *J. Vis. Exp.* (173), e62802

**DOI: 10.3791/62802**

GARCÍA-GUTIÉRREZ, V., STÖCKLE, C., GIL, P. M., & MEZA, F. J. (2021). Evaluation of Penman-Monteith Model Based on Sentinel-2 Data for the Estimation of Actual Evapotranspiration in Vineyards. *Remote Sensing*, 13(3), 478.

**DOI: 10.3390/rs13030478**

PATOČKA, Z., NOVOSADOVÁ, K., HANINEC, P., POKORNÝ, R., MIKITA, T., & KLIMÁNEK, M. (2020). Comparison of LiDAR-based Models for True Leaf Area Index and Effective Leaf Area Index Estimation in Young Beech Forests. *Acta Univ. Agric. Silv. Mendel. Brun.*, 68(3), 559-566.

**DOI: 10.11118/actaun202068030559**

CHÁVEZ R. O., ROCCO R., GUTIÉRREZ Á. V., ET AL. (2019). A Self-Calibrated Non-Parametric Time Series Analysis Approach for Assessing Insect Defoliation of Broad-Leaved Deciduous *Nothofagus pumilio* Forests. *Remote Sens.* 2019, 11, 204.

**DOI: 10.3390/rs11020204.**

ČERNÝ J., KREJZA J., POKORNÝ R., BEDNÁŘ P. (2018): *LaiPen LP 100 – a new device for estimating forest ecosystem leaf area index compared to the etalon: A methodologic case study.* *J. For. Sci.*, 64: 455-468.

**DOI: 10.17221/112/2018-JFS**

HOMOLOVÁ L., JANOUTOVÁ R., LUKEŠ P., ET AL. (2018). *In situ data supporting remote sensing estimation of spruce forest parameters at the ecosystem station Bílý Kříž.* *Beskydy.* 10.

**DOI: 10.11118/beskyd201710010075.**

BELLAN M., MARKOVÁ I., ZAIKA A., ET AL. (2017). *Light Use Efficiency of Aboveground Biomass Production of Norway Spruce Stands.* *Acta Univ. Agric. Silv. Mendeliana Brun.* 65. 9-16.

**DOI: 10.11118/actaun201765010009**